

WCAG 2.1 Form

WCAG Checklist Level A (Beginner)

| Guideline | Summary | Passed? | Note | How to Pass |
|---|--|---------|---------------|--|
| 1.1.1 – Non-text Content | Provide text alternatives for non-text content that serves the same purpose. | | | Add a text alternative to your images describing the image For video and audio, add a short description of the media but ideally provide a transcript Where a control or input field is non-text, add a name |
| 1.2.1 – Audio-only and Video-only (Pre-recorded) | Provide an alternative to video-only and audio-only content. | | | |
| 1.2.2 – Captions (Pre-recorded) | Provide captions for videos with audio. | | | |
| 1.2.3 – Audio Description or Media Alternative (Pre-recorded) | Provide audio description or text transcript for videos with sound. | | | |
| 1.3.1 – Info and Relationships | Content, structure and relationships can be programmatically determined. | | | |
| 1.3.2 – Meaningful Sequence | Present content in a meaningful order. | | | |
| 1.3.3 – Sensory Characteristics | Instructions don't rely solely on sensory characteristics. | | | |
| 1.4.1 – Use of Colour | Don't use presentation that relies solely on colour. | | Need to check | Ensure no instructions rely on color alone Ensure that no information (like charts and graphs) relies on color alone |
| 1.4.2 – Audio Control | Don't play audio automatically. | | | |
| 2.1.1 – Keyboard | All functionality is accessible by keyboard with no specific timings. | | Need to check | Ensure users can access all elements of your website using only a keyboard Ensure there are no specific timings needed for keystrokes, for example holding down 'Enter' for three seconds to submit a form |
| 2.1.2 – No Keyboard Trap | Users can navigate to and from all content using a keyboard. | | Need to check | All elements on your website can be navigated to and away from by keyboard only using the 'tab' or arrow keys. |

| | | | | |
|--|---|--|---------------|---|
| 2.1.4 – Character Key Shortcuts | Allow users to turn off or remap single-key character shortcuts. | | Need to check | |
| 2.2.1 – Timing Adjustable | Provide user controls to turn off, adjust or extend time limits. | | Need to check | |
| 2.2.2 – Pause, Stop, Hide | Provide user controls to pause, stop and hide moving and auto-updating content. | | | |
| 2.3.1 – Three Flashes or Below Threshold | No content flashes more than three times per second. | | | |
| 2.4.1 – Bypass Blocks | Provide a way for users to skip repeated blocks of content. | | | |
| 2.4.2 – Page Titled | Use helpful and clear page titles. | | Need to check | |
| 2.4.3 – Focus Order | Components receive focus in a logical sequence. | | | |
| 2.4.4 – Link Purpose (In Context) | Every link's purpose is clear from its text or context. | | | |
| 2.4.7 – Focus Visible | Keyboard focus is visible when used. | | | |
| 2.4.13 – Page Break Navigation | Provide a way to navigate between page break locators. | | | In HTML you can add page list navigation using <nav role="doc-pagelist"> You could then add designations using |
| 2.5.1 – Pointer Gestures | Multi-point and path-based gestures can be operated with a single pointer. | | | |
| 3.1.1 – Language of Page | Page has a language assigned | | | |
| 3.2.1 – On Focus | Elements do not change when they receive focus | | | |
| 3.2.2 – On Input | Elements do not change when they receive input | | | |
| 3.3.1 – Error Identification | Clearly identify input errors | | | |
| 3.3.2 – Labels or Instructions | Label elements and give instructions | | | |
| 4.1.1 – Parsing | No major code errors | | | |
| 4.1.2 – Name, Role, Value | Build all elements for accessibility | | | |

WCAG Checklist Level AA (Intermediate)

| Guideline | Summary | | | |
|--|---|--|---------------|---|
| 1.2.4 – Captions (Live) | Add captions to live videos. | | | |
| 1.2.5 – Audio Description (Pre-recorded) | Provide audio descriptions for pre-recorded videos. | | | |
| 1.3.4 – Orientation | Your website adapts to portrait and landscape views. | | | |
| 1.3.5 – Identify Input Purpose | The purpose of input fields must be programmatically determinable. | | | |
| 1.4.3 – Contrast (Minimum) | Contrast ratio between text and background is at least 4.5:1. | | Need to check | Using a light background and dark text; or Using a dark background and light text; and Using a colour contrast checker to verify your choice. |
| 1.4.4 – Resize Text | Text can be resized to 200% without loss of content or function. | | | |
| 1.4.5 – Images of Text | Don't use images of text. | | | |
| 1.4.10 – Reflow | Content retains meaning and function without scrolling in two dimensions. | | | |
| 1.4.11 – Non-Text Contrast | The contrast between user interface components, graphics and adjacent colors is at least 3:1. | | Need to check | |
| 1.4.12 – Text Spacing | Content and function retain meaning when users change elements of text spacing. | | Need to check | |
| 1.4.13 – Content on Hover or Focus | When hover or focus triggers content to appear, it is dismissible, hoverable and persistent. | | | |
| 2.4.5 – Multiple Ways | Offer at least two ways to find pages on your website. | | | |
| 2.4.6 – Headings and Labels | Headings and labels describe topic or purpose. | | | |

| | | | | |
|--|---|--|--|--|
| 2.4.11 – Focus Appearance (Minimum) | Focus indicators are clearly distinguishable when active. | | | |
| 3.1.2 – Language of Parts | Tell users when the language on a page changes | | | |
| 3.2.3 – Consistent Navigation | Use menus consistently | | | |
| 3.2.4 – Consistent Identification | Use icons and buttons consistently | | | |
| 3.3.3 – Error Suggestion | Suggest fixes when users make errors | | | |
| 3.3.4- Error Prevention (Legal, Financial, Data) | Reduce the risk of input errors for sensitive data | | | |

WCAG Checklist Level AAA (Advanced)

| Guideline | Summary | | | |
|---|--|--|--|--|
| 1.2.6 – Sign Language (Pre-recorded) | Provide sign language translations for pre-recorded videos. | | | |
| 1.2.7 – Extended Audio description (Pre-recorded) | Provide extended audio descriptions for pre-recorded videos. | | | |
| 1.2.8 – Media Alternative (Pre-recorded) | Provide text alternatives for pre-recorded videos. | | | |
| 1.2.9 – Audio Only (Live) | Provide alternatives for live audio. | | | |
| 1.3.6 – Identify Purpose | The purpose of all components must be programmatically determinable. | | | |
| 1.4.6 – Contrast (Enhanced) | Contrast ratio between text and background is at least 7:1. | | | |
| 1.4.7 – Low or No Background Audio | Audio-only content is clear with no or minimal background noise. | | | |
| 1.4.8 – Visual Presentation | Offer users a range of presentation options for blocks of text. | | | |
| 1.4.9 – Images of Text (No Exception) | Don't use images of text. | | | |

| | | | | |
|--|---|--|--|--|
| 2.1.3 – Keyboard (No Exception) | All functionality is accessible by keyboard with no exceptions. | | | |
| 2.2.3 – No Timing | No time limits on your website. | | | |
| 2.2.4 – Interruptions | Users can postpone or suppress non-emergency interruptions. | | | |
| 2.2.5 – Re-authenticating | Save user data when re-authenticating. | | | |
| 2.2.6 – Timeouts | Warn users about timeouts that cause data loss. | | | |
| 2.3.2 – Three Flashes | No content flashes more than three times per second. | | | |
| 2.3.3 – Animation from Interactions | Users can disable motion animation. | | | |
| 2.4.8 – Location | Let users know where they are on your website. | | | |
| 2.4.9 – Link Purpose (Link Only) | Every link’s purpose is clear from its text. | | | |
| 2.4.10 – Section Headings | Organize content with headings. | | | |
| 2.4.12 – Focus Appearance (Enhanced) | Focus indicators are more clearly distinguishable when active. | | | |
| 3.1.3 – Unusual words | Explain any strange words | | | |
| 3.1.4 – Abbreviations | Explain any abbreviations | | | |
| 3.1.5 – Reading Level | Users with nine years of school can read your content | | | |
| 3.1.6 – Pronunciation | Explain any words that are hard to pronounce | | | |
| 3.2.5 – Change on Request | Don’t change elements on your website until users ask | | | |
| 3.3.5 – Help | Provide detailed help and instructions | | | |
| 3.3.6 – Error Prevention (All) | Reduce the risk of all input errors | | | |

Contrast Test Sample

DOMAIN: 8_0 UAT Dom...

8_0 UAT Domain Dashboard

Data in this dashboard last refreshed at 2022/03/01 05:03:20 PM

Active Projects

Active Projects Utilization

Storage Footprint By Project

Users in Active Projects

10 ACTIVE PROJECTS

11 TOTAL PROJECTS

0 ACTIVE USERS

0 TOTAL USERS

| PROJECT NAME | STATUS | DATA AS OF (UTC) |
|------------------|--------|---------------------|
| CIK Test Project | Active | 2022/03/01 05:03:20 |
| EMW_Test6 | Active | 2022/03/01 05:03:20 |

Showing 1 to 2 of 2 entries

Colour Contrast Analyser (CCA)

Foreground colour

HEX #555555

Background colour

HEX #5C6A84

Sample preview

example text showing contrast

WCAG 2.1 results

Contrast ratio 1.4:1

1.4.3 Contrast (Minimum) (AA)

Fail (regular text) Fail (large text)

1.4.6 Contrast (Enhanced) (AAA)

Fail (regular text) Fail (large text)

1.4.11 Non-text Contrast (AA)

Fail (UI components and graphical objects)

Colour Contrast Analyser (CCA)

Foreground colour

HEX #63879E

Background colour

HEX #CFDCE6

Sample preview

example text showing contrast

WCAG 2.1 results

Contrast ratio 2.7:1

1.4.3 Contrast (Minimum) (AA)

Fail (regular text) Fail (large text)

1.4.6 Contrast (Enhanced) (AAA)

Fail (regular text) Fail (large text)

1.4.11 Non-text Contrast (AA)

Fail (UI components and graphical objects)

Colour Contrast Analyser (CCA)

Foreground colour

HEX #63879E

Background colour

HEX #E6ECEF

Sample preview

example text showing contrast

WCAG 2.1 results

Contrast ratio 3.2:1

1.4.3 Contrast (Minimum) (AA)

Fail (regular text) Pass (large text)

1.4.6 Contrast (Enhanced) (AAA)

Fail (regular text) Fail (large text)

1.4.11 Non-text Contrast (AA)

Pass (UI components and graphical objects)

Colour Contrast Analyser (CCA)

Foreground colour

HEX #677881

Background colour

HEX #999999

Sample preview

example text showing contrast

WCAG 2.1 results

Contrast ratio 1.6:1

1.4.3 Contrast (Minimum) (AA)

Fail (regular text) Fail (large text)

1.4.6 Contrast (Enhanced) (AAA)

Fail (regular text) Fail (large text)

1.4.11 Non-text Contrast (AA)

Fail (UI components and graphical objects)

Tooltips

The screenshot shows the 'Domain Dashboard' for '8_0 UAT Dom...'. The left sidebar contains 'DASHBOARD', 'Projects', and 'Users' (highlighted with a green callout: 'No tool tips for second menu'). The main area includes 'Active Projects Utilization' with a 'Storage Footprint' donut chart (7.99 GB Total) and a table of 'TOP 5 ACTIVE PROJECTS'. A green callout points to the chart with the text 'Missing tool tips'. To the right, 'Users in Active Projects' shows 0 active and 0 total users. At the bottom is a table of active projects with columns for status, data as of, custodians, docs published, docs released, corporate client, created date, created by, and total utilized disk size.

DOMAIN: 8_0 UAT Dom...

Domain Dashboard

last refreshed at 2022/03/01 05:03:20 PM

Active Projects Utilization

Storage Footprint By Project

7.99 GB Total

Database : 4.37 GB
Index : 1.63 GB
Workspace : 1.99 GB
Total: 7.99 GB

| TOP 5 ACTIVE PROJECTS | TOTAL SIZE |
|-----------------------|------------|
| 80_JI_UAT1 | 2.97 GB |
| 80_UAT_Feb1 | 1.89 GB |
| 80_JI_UAT | 0.71 GB |
| EMW_Test6 | 0.48 GB |
| DM 80 UAT Analytics | 0.41 GB |

Users in Active Projects

0 ACTIVE USERS
0 TOTAL USERS

By Active Project

STATUS: OFF

Q [] + Create New Project

| STATUS | DATA AS OF (UTC) | CUSTODIANS (#) | DOCS PUBLISHED (#) | DOCS RELEASED (#) | CORPORATE CLIENT | CREATED DATE | CREATED BY | TOTAL UTILIZED DISK SIZE (GB) |
|--------|------------------------|----------------|--------------------|-------------------|------------------|------------------------|-----------------------|-------------------------------|
| Active | 2022/03/01 05:02:55 PM | 3 | 472 | 472 | | 2022/01/15 04:02:52 PM | Jawahar Jaddu | 0.71 |
| Active | 2022/03/01 05:03:02 PM | 4 | 21985 | 21985 | | 2022/02/10 03:00:15 AM | Jawahar Jaddu | 2.97 |
| Active | 2022/03/01 05:03:18 PM | 2 | 563 | 403 | | 2022/02/23 06:56:37 PM | Jawahar Jaddu | 0.33 |
| Active | 2022/03/01 05:02:58 PM | 4 | 28889 | 15422 | | 2022/02/01 09:28:21 PM | Jawahar Jaddu | 1.89 |
| Active | 2022/03/01 05:02:53 PM | 1 | 24 | 24 | Products | 2022/01/13 08:12:58 AM | Guruprasad Guruprasad | 0.28 |
| Active | 2022/03/01 05:03:15 PM | 4 | 15 | 15 | | 2022/02/17 08:10:24 PM | Jawahar Jaddu | 0.31 |

https://sightlinept.consilio.com/User/UserListView

Keyboard only access. (not available for most of the config pages)

Screen reader may not work.